

## 4-N-1 Buckets




Picture shown with optional weld on teeth.

The 4-N-1 Buckets are very versatile attachments for your skid steer and are ideal for grappling, dozing, backfilling, loading, digging and fine grading.


The cylinders on our compact tractor 4-N-1 Buckets have a 2" bore. The cylinders on our Standard Duty & Heavy Duty 4-N-1 Buckets have a 2.5" bore. They are equipped with a 3/4" x 6" cutting edge and 1/2" x 4" at all other ground engaging points. Our X-treme 4-N-1 Buckets have cylinders with a 3" bore. They are equipped with a 1" x 8" cutting edge and 3/4" x 6" at all other ground engaging points. They are also built with top quality steel, oversized pins and bushings, with grease fittings at every pivot point. Every unit exceeds the lifting capacity of the skid steer machine it is used on.

- 2" cylinders on compact tractor
- 2.5" cylinders on standard duty and heavy duty
- 3" cylinders on X-treme
- Grease fittings at every pivot point
- Optional weld on teeth
- Optional bolt on edge (HD & XD)
- Compact Tractor sizes: 48", 54", 60" (under 40 hp)
- Standard Duty sizes: 60", 66", 72" (40 - 50 hp)
- Heavy Duty sizes: 63", 66", 72" (50 - 65 hp)
- X-treme Duty sizes: 72", 78", 81", 84" (65 hp & over)


### Compact Tractor 4-N-1 Bucket Specs




### Standard Duty / Heavy Duty 4-N-1 Bucket Specs



### X-treme 4-N-1 Bucket Specs



# Concrete/Cement Bucket





Our concrete bucket is designed for carrying and placing concrete using your skid steer. It allows you to accurately place concrete in areas inaccessible to trucks without any waste. A hydraulic gate is optional.



- Chute extender
- 3/16 material
- 1/2 and 3/4 yard capacity
- Optional hydraulic gate

## X-treme Concrete/Cement Bucket Specs

**3/4 YARD**



**1/2 YARD**




# X-treme High Dump Bucket



Our X-treme High Dump Bucket is an essential tool in the poultry business. With the extra 3 feet of dumping height, you can easily load dump trucks to capacity. The CID High Dump Bucket has extra tall sides to make your clean up jobs go faster. The cylinders are protected on the sides so you don't lose material space inside the bucket. This feature also makes clean out much easier.

- 3 extra feet of dumping height
- Cylinders protected on the sides
- 2" x 10" twin cylinders
- 3/4" x 6" edge
- 3/16" bucket wrap
- Available sizes: 72", 84", 96"

## X-treme High Dump Bucket Specs





## Long Bottom Bucket

The Heavy Duty Long Bottom Bucket is designed for greater visibility of the cutting edge. It will also hold more material than the Low Profile Bucket. Its made for up to 65 HP track machines and up to 70 HP on wheel machines. For larger machines, please see our track loader buckets on page 18.

**Available sizes: 63", 66", 72", 78", 81", 84", 90", 96"**

- Designed for greater visibility of the cutting edge
- Optional bolt on edge
- Optional weld on teeth are available
- Optional bolt on side cutting teeth
- 3/16" bucket wrap
- 3/4" x 6" edge
- 3/8" wear bars & side edge




## Low Profile Bucket

The Heavy Duty Low Profile Bucket is ideal for moving, digging and grading dirt or gravel. Its made for up to 65 HP track machines and up to 70 HP on wheel machines.

X-treme duty package option is made for up to 110 HP machines.

**Available sizes: 63", 66", 72", 78", 81", 84", 90", 96"**

- Optional bolt on edge
- Optional weld on teeth are available
- 3/16" bucket wrap
- 3/4" x 6" edge
- 3/8" wear bars & side edge
- X-treme Duty package offered (1/4" wrap 1" x 8" edge)  
1/2" side edge & wear bars






# Heavy Duty Buckets

## Snow & Litter Bucket

The Heavy Duty Snow & Litter Bucket is ideal for lifting large volume, low weight material such as snow, mulch, manure, sawdust, shavings and any other type of loose or light debris. Its made for up to 65 HP track machines and up to 70 HP on wheel machines. Xtreme duty package option is made for up to 110 HP machines.

**Available sizes: 63", 66", 72", 78", 81", 84", 90", 96", 108"**

- Designed for large volume, low weight material
- Optional bolt on edge is available
- 3/16" bucket wrap
- 3/4" x 6" edge
- 3/8" wear bars & side edge
- X-treme Duty package offered (1/4" wrap 1" x 8" edge) 1/2" side edge & wear bars




## Turkey Litter bucket

CID Turkey Litter bucket is mostly used for snow removal, loading mulch and poultry litter removal. It is basically an oversized version of our snow and litter bucket. Its made for up to 65 HP track machines and up to 70 HP on wheel machines. Xtreme duty package option is made for up to 110 HP machines.

**Available sizes: 78", 84", 96", 108"**

- Designed for large volume, low weight material
- Optional bolt on edge is available
- 3/16" bucket wrap
- 3/4" x 6" edge
- 3/8" wear bars & side edge
- X-treme Duty package offered (1/4" wrap 1" x 8" edge) 1/2" side edge & wear bars



## X-treme Track Loader Bucket

Designed for the most demanding track loaders on the market. 1" x 8" cutting edge, 1/2" AR400 heel plate and 1/2" wear bars, reinforced quick attach, 1/4" bucket wrap, rolled back for easy clean out. 65 hp and over.


**Shown with Optional teeth**



Photos Shown with Optional side cutting teeth

- 1" x 8" cutting edge
- 1/2" AR400 heel plate
- 1/2" Wear bars
- 1/4" Bucket wrap
- Optional side cutting teeth
- Optional bolt on edge
- Available sizes: 72", 78", 81", 84", 90", 96"

### X-treme Track Loader Bucket Specs




## Industrial Track Loader Bucket

The Industrial Track Loader Bucket is a comparable alternative to your track loader OEM bucket with some upgrades. 1" x 8" cutting edge gives more strength to your bucket while giving you 2" more cutting edge. A rolled back allows for exceptional cleanout. Reinforced quick attach and two piece back for extra strength. Low profile design for better visibility.



- Rolled back
- 1" x 8" cutting edge
- 1/2" wear bars
- Optional bolt on edge
- Optional teeth
- Optional side cutting edge

### Industrial Track Loader Bucket Specs




# Tractor Buckets and Compact Tractor Buckets



Our tractor buckets are designed with higher backs to prevent material from spilling over. They feature 3/16" steel sides and a 3/4" x 6" cutting edge. These buckets also come with holes in the sides for mounting a tooth bar and will hookup using universal Skid Steer and many tractor styles quick attach.

## Tractor Bucket Specs



### Tractor Buckets 45 HP to 65 HP

- Higher back to prevent spillage
- Available sizes: 63", 66", 72", 78", 81", 84"
- Universal Skid Steer and many tractor styles quick attach
- Features 3/16" Steel Sides and a 3/4" x 6" Cutting Edge

### Compact Tractor Buckets 45hp and Under


- Higher back to prevent spillage
- Available sizes: 60", 63", 66", 72"
- Universal Skid Steer and many tractor styles quick attach
- Features 3/16" Steel Sides and a 1/2" x 4" Cutting Edge

## X-treme Tractor Bucket



The X-treme tractor bucket is great for tractors with horse power of 65 and up. With a deep floor and a tall back this bucket has an oversized capacity. Rolled back makes for easy cleanout.

### X-treme Tractor Bucket Specs



- Higher back to prevent spillage
- Available sizes: 63", 66", 72", 78", 81", 84"
- Universal Skid Steer and many tractor styles quick attach
- Features 3/16" Steel Sides and a 3/4" x 6" Cutting Edge
- Optional bolt on edge
- Severe Package offered (1x8 edge, 1/4 wrap & sides)




# Heavy Duty Rock Bucket



The Rock Bucket is made from top quality steel and is ideal for sifting out large rocks. It works great in pastures, lawns or construction sites, and will catch any rock or piece of debris that is larger than 2- 3/8". The rock bucket comes standard with 3/4 x 6 cutting edge and is upgraded to 1 x 8 edge when optional teeth are added.

- 3/4 x 6 Cutting edge
- Optional weld on teeth with 1 x 8 cutting edge
- 3/8" Side edge
- Available sizes: 63", 66", 72", 78", 81"

## Heavy Duty Rock Bucket Specs



# X-treme Rock Bucket



Bigger is better with our CID X-treme rock bucket. It comes with 3" tine spacing, 3/8" tines, and dual 1 1/4" rods to reinforce the 5" tall rock dam. Our x-treme rock bucket also has fully welded front tines in place of cutting edge.

- Fully welded front tines
- 3" tine spacing
- Dual 1 1/4" rods to reinforce the 5" tall rock dam
- Available sizes: 66", 72", 78", 81", 84"

## X-treme Rock Bucket Specs

